ELSEVIER

Toxicology 131 (1998) 215–216

TOXICOLOGY

Contents of volume 131

Chloral hydrate enhances ethanol-induced inhibition of methanol oxidation in mice
A. Faci, G.L. Plaa, M. Sharkawi (Canada) 1–7
A combination of ethanol and chloral hydrate was more effective than either agent alone or than trichloroethanol

Comparison of the effects of some CYP3A and other enzyme inducers on replicative DNA synthesis and cytochrome P450 isoforms in rat liver
B.G. Lake, A.B. Renwick, M.E. Cunninghame, R.J. Price, D. Surry, D.C. Evans (UK) 9–20
Enzyme inducers differentially are promoters of cell replication and mitogenic agents

Characterization of the protective effects of L-nitroarginine methyl ester (L-NAME) against the toxicity of sulphur mustard in vitro
T.W. Sawyer (Canada) 21–32
Treatment may be protective even after exposure

Disruption of mitochondrial activities in rabbit and human hepatocytes by a quinoxalinone anxiolytic and its carboxylic acid metabolite
R.G. Ulrich, J.A. Bacon, C.T. Cramer, D.K. Petrella, E.L. Sun, M.D. Meglasson, E. Holmuhamedov (USA) 33–47
Panadiplon produces hepatic mitochondrial dysfunction

Book reviews 49–52

Examination of possible toxic and immune mechanisms of clozapine-induced agranulocytosis
I. Guest, B. Sokoluk, J. MacCrimmon, J. Uetrecht (Canada) 53–65
A neutrophil-dependent mechanism is unlikely to be involved in clozapine-induced agranulocytosis

Announcements 67–59

Instructions to authors 71–72

Time course of enzyme induction in liver and kidneys and absorption, distribution and elimination of 1,4-dichlorobenzene in rats
Extensive studies on tissue distribution and enzyme induction
E.M. Bomhard, U. Schmidt, E. Löser (Germany) 73–91

Prevention of carbon tetrachloride-induced hepatotoxicity in the rat by *H. rosasinensis* anthocyanin extract administered in ethanol
An effective in vivo treatment
F.O. Obi, I.A. Usenu, J.O. Osayande (Nigeria) 93–98

Stimulation of the DNA binding activity of AP-1 by the peroxisome proliferator ciprofibrate and eicosanoids in cultured rat hepatocytes
Eicosanoid concentrations may modulate signal transduction
J.T. Hong, H.P. Glauert (USA) 99–107

Tissue distribution, subcellular localization and covalent binding of 2-chloroaniline and 4-chloroaniline in Fischer 344 rats
A possible explanation for the higher toxic potential of 4-chloroaniline
L.D. Dial, D.K. Anestis, S.R. Kennedy, G.O. Rankin (USA) 109–119

Oxidative damage and fumonisin B_1-induced toxicity in primary rat hepatocytes and rat liver in vivo
The mycotoxin increases lipid peroxidation in organelles of cultured cells but not in vivo after dietary application
S. Abel, W.C.A. Gelderblom (South Africa) 121–131
Sarcophytolide: a new neuroprotective compound from the soft coral *Sarcophyton glaucum*
Prevention of high intracellular calcium and possibly increased expression of a proto-oncogene protect cultured neurons against glutamate toxicity
F.A. Badria, A.N. Guirguis, S. Perovic, R. Steffen, W.E.G. Müller, H.C. Schröder (Egypt, Germany) 133–143
Increase of striatal dopamine release by cadmium in nursing rats and its prevention by dexamethasone-induced metallothionein
Dexamethasone mitigates Cd-induced brain damage
E.Y. Gutiérrez-Reyes, A. Albores, C. Ríos (Mexico) 145–154
Flavonoid-induced alterations in cytochrome P450-dependent biotransformation of the organophosphorus insecticide parathion in the mouse
Are mechanisms observed in vitro sufficient to be of importance in vivo?
S. Ramos, L. Sultatos (USA) 155–167
Low levels of inorganic lead noncompetitively inhibit μ-calpain
A possible mechanism why Pb may interfere with neuronal development
T. Audesirk, C. Pedersen, G. Audesirk, M. Kern (USA) 169–174
In vivo prevention of adriamycin cardiotoxicity by cyclosporin A or FK506
Cyclosporin A and FK506 seem to ack on the adriamycin-damaged inner mitochondrial membrane
I.A. Al-Nasser (Saudi Arabia) 175–181
Bidirectional transport of cadmium across apical membrane of renal epithelial cell lines via H^+-antiporter and inorganic anion exchanger
Bidriectional transport of Cd depends on pH of the apical side
T. Endo, O. Kimura, M. Sakata (Japan) 183–192
Apical uptake of radiolabelled ochratoxin A into Madin–Darby canine kidney cells
Uptake is mediated by proton-dipeptide cotransport, organic anion transport and by diffusion
G. Schwerdt, R. Freudinger, S. Silbernagl, M. Gekle (Germany) 193–202

Book review 203
Announcements 205–207
Author index of volume 131 209
Subject index of volume 131 211–213
Contents of volume 131 215–216